

10/786,744

**EAST Search History**

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	10/786744	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 10:23
S2	1	10/786024	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 10:23
S3	1	10/786744	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/09 13:53
S4	606	transceiver with host with network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 17:13
S5	381342	(dual two second) near2 (dimension\$4 siz\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 18:36
S6	70	S4 and S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 18:38
S7	290	transceiver with S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/08 18:39
S8	6	S4 and S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 16:45

## EAST Search History

S11	1	10/786744	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 16:51
S12	1663	transceiver same host same network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 17:14
S13	384541	(dual two second) near2 (dimension\$4 siz\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 17:32
S14	170	S12 and S13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 17:14
S15	299	((dual two second plural\$4 multiple) near2 (dimension\$4 siz\$3)) with transceiver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 17:33
S16	310	((dual two second several plural\$4 multiple) near2 (dimension\$4 siz\$3)) with transceiver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 17:33
S17	6	S12 and S16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 17:37
S18	0	transceiver near7 adapter with ((chang\$4 adjust\$4) near2 (size dimension))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 17:50

## EAST Search History

S19	19	transceiver near7 adapter with (size dimension)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 17:49
S20	27	transceiver near7 adapter with (width size dimension)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 17:49
S21	8	S20 not S19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 17:49
S22	0	transceiver with ((chang\$4 adjust\$4 vary\$4 vari\$4) near2 (size width dimension)) with ((plate faceplate (face adj1 plate) panel) near2 (opening))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 17:52
S23	1	connector with ((chang\$4 adjust\$4 vary\$4 vari\$4) near2 (size width dimension)) with ((plate faceplate (face adj1 plate) panel) near2 (opening))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 17:53
S24	0	((chang\$4 adjust\$4 vary\$4 vari\$4) near2 (size width dimension)) with ((plate faceplate (face adj1 plate) panel) near2 (opening)) and (host same network)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 12:14
S25	9	((size width dimension)) with ((plate faceplate (face adj1 plate) panel) near2 (opening)) and (host same network)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 17:54
S26	713	(two "2") adj1 (piece part) near3 adapter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 10:58

## EAST Search History

S27	12	S26 and transceiver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 09:27
S28	388091	(dual two second) near2 (dimension\$4 siz\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 11:57
S29	637	adapter with S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 09:28
S30	20	S26 and S29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 09:28
S31	973	(two "2") adj1 (piece part) near5 adapter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 10:59
S32	24	S29 and S31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 10:59
S33	0	S32 not S29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 10:59
S34	4	S32 not S30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 11:00

## EAST Search History

S35	1576	385/92.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 11:01
S36	1	S35 and S29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 11:01
S37	2847	(385/88 385/93-94).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 11:01
S38	2	S37 and S29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 11:01
S39	860	(chang\$4 adjust\$4 vary\$4) near2 (dimension\$4 siz\$3) with adapter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 12:07
S40	248	adapter with panel with hole	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 12:07
S41	3	S39 and S40	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 12:08
S42	742	398/140-142.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 12:08

## EAST Search History

S43	388091	(dual two second) near2 (dimension\$4 siz\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 12:08
S44	637	adapter with S43	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 12:08
S45	0	S42 and S44	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 12:09
S46	0	S40 and S42	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 12:09
S47	26	transceiver with panel with hole	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 12:09
S48	1065	((chang\$4 adjust\$4 vary\$4 vari\$4) near2 (size width dimension)) with ((plate faceplate (face adj1 plate) panel) near2 (opening hole))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 12:24
S49	70	transceiv\$4 with ((plate faceplate (face adj1 plate) panel) near2 (opening hole))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 12:24
S50	0	S48 and S49	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 12:15

## EAST Search History

S51	3	S48 and transceiv\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 12:16
S52	2	"6623172".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 14:35
S53	8	(("6,623,172") or ("6,206,582") or ("6,130,977") or ("6,601,995") or ("6,508,593") or ("6,422,759") or ("6,186,670") or ("5,245,683")).PN.	US-PGPUB; USPAT	OR	OFF	2006/01/03 14:39
S54	8	(("6,264,481") or ("6,302,596") or ("6,358,086") or ("6,485,322") or ("6,494,623") or ("6,533,470") or ("6,637,948") or ("6,668,113")).PN.	US-PGPUB; USPAT	OR	OFF	2006/01/03 14:40
S55	11	(("6,461,058") or ("6,149,313") or ("6,556,446") or ("6,540,412") or ("6,464,408") or ("5,966,487") or ("6,085,006") or ("6,439,781") or ("6,483,711") or ("6,580,614") or ("6,350,063")).PN. or (2003/0044121).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/01/03 16:29
S56	4	(("5,073,046") or ("6,485,192") or ("6,350,063") or ("6,705,764")).PN.	US-PGPUB; USPAT	OR	OFF	2006/01/03 16:49
S57	1170	transceiver with network and transceiver with host	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 16:50
S58	629	transceiver with network with transceiver with host	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 16:52
S59	1	10/036995	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 16:52

## EAST Search History

S60	75	transceiver near5 collar	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 12:16
S61	1065	((chang\$4 adjust\$4 vary\$4 vari\$4) near2 (size width dimension)) with ((plate faceplate (face adj1 plate) panel) near2 (opening hole))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 13:53
S62	70	transceiv\$4 with ((plate faceplate (face adj1 plate) panel) near2 (opening hole))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 12:24
S63	0	S61 and S62	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 12:24
S64	2	S61 and "385"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 12:26
S65	0	((chang\$4 adjust\$4 vary\$4 vari\$4) near2 (size width dimension)) with (385/88-94.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 12:36
S66	57246	((chang\$4 adjust\$4 vary\$4 vari\$4) near2 (size width dimension)) with (attach\$5 add\$3 addition\$4 adapt\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 12:36
S67	236	((chang\$4 adjust\$4 vary\$4 vari\$4) near2 (size width dimension)) and (385/88-94.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 13:37

## EAST Search History

S68	28196	((chang\$4 adjust\$4 vary\$4 vari\$4) near2 (size width dimension)) with connect\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 13:48
S69	49814	connect\$4 with ((plate faceplate (face adj1 plate) panel) near2 (opening hole))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 13:35
S70	152	S68 same S69	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 13:35
S71	763	((chang\$4 adjust\$4 vary\$4 vari\$4) near2 (size width dimension)) and transceiver and (transceiv\$4 with optic\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 13:38
S72	26	((chang\$4 adjust\$4 vary\$4 vari\$4) near2 (size width dimension)) with transceiver and (transceiv\$4 with optic\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 13:47
S73	6	((conversion convert\$4) near2 (size width dimension)) with transceiver and (transceiv\$4 with optic\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 13:48
S74	1135	((conversion convert\$4) near2 (size width dimension)) with connect\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 13:49
S75	3	S74 and S69	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 13:52

## EAST Search History

S76	818	361/728.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 13:53
S77	73	S76 and ((plate faceplate (face adj1 plate) panel) near2 (opening hole))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 10:37
S78	19	transceiver with coupl\$4 with adhesive	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 15:04
S79	3	transceiver with adapter with adhesive	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 15:04
S80	20	(US-20040105239-\$ or US-20030044129-\$ or US-20030021552-\$ or US-20020009905-\$ or US-20030076658-\$ or US-20050135756-\$ or US-20030206403-\$).did. or (US-5073045-\$ or US-5073046-\$ or US-5091991-\$ or US-5109453-\$ or US-5138679-\$ or US-5138680-\$ or US-5140663-\$ or US-6551117-\$ or US-6358086-\$ or US-6580614-\$ or US-6780053-\$ or US-D478868-\$ or US-5600746-\$).did.	US-PGPUB; USPAT	OR	ON	2006/01/04 15:05
S81	2	S80 and (adher\$4 adhesive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 15:05
S82	6	(("6,264,481") or ("6,302,596") or ("6,358,086") or ("6,485,322") or ("6,494,623") or ("6,533,470") or ("6,637,948") or ("6,668,113")).PN.	US-PGPUB; USPAT	OR	OFF	2006/01/04 17:46

## EAST Search History

S83	8	(("6,264,481") or ("6,302,596") or ("6,358,086") or ("6,485,322") or ("6,494,623") or ("6,533,470") or ("6,637,948") or ("6,668,113")).PN.	US-PGPUB; USPAT	OR	OFF	2006/01/04 17:46
S84	689	transceiver with host with network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/21 10:24
S85	402477	(dual two second) near2 (dimension\$4 siz\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/21 10:24
S86	76	S84 and S85	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/21 10:24
S87	19	transceiver near7 adapter with (size dimension)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/21 10:24
S88	27	transceiver near7 adapter with (width size dimension)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/21 10:24
S89	8	S88 not S87	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/21 10:24
S90	1819	transceiver same host same network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/21 10:25

## EAST Search History

S91	335	((dual two second several plural\$4 multiple) near2 (dimension\$4 siz\$3)) with transceiver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/21 10:25
S92	7	S90 and S91	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/21 10:25
S93	722	(two "2") adj1 (piece part) near3 adapter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 13:00
S94	402912	(dual two second) near2 (dimension\$4 siz\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 13:00
S95	662	adapter with S94	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 13:00
S96	20	S93 and S95	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 13:00
S97	1078	((chang\$4 adjust\$4 vary\$4 vari\$4) near2 (size width dimension)) with ((plate faceplate (face adj1 plate) panel) near2 (opening hole))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 13:01
S98	2	S97 and "385"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 10:34

## EAST Search History

S99	604	398/135,139.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 10:35
S10 0	7	S99 and ((transceiver (transmitter near1 receiver)) and (adapt\$4 with siz\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 10:36
S10 1	1	(transceiver and host and network and housing and receptacle and adapter).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 10:38

~~PALM INTRANET~~

## Inventor Name Search Result

Your Search was:

Last Name = DUNCAN

First Name = JAMES

Day : Wednesday  
 Date: 4/26/2006  
 Time: 10:51:13

Application#	Patent#	Status	Date Filed	Title	Inventor Name
08368008	5505510	150	01/03/1995	APPARATUS FOR RETRIEVING DISBURSED OBJECTS	DUNCAN, JAMES
10426407	7046166	150	04/29/2003	MODULAR WIRELESS INTEGRATED NETWORK SENSOR (WINS) NODE WITH A DUAL BUS ARCHITECTURE	DUNCAN, JAMES
10786744	Not Issued	71	02/25/2004	Small form factor transceiver front panel adapter	DUNCAN, JAMES
10804902	Not Issued	161	03/19/2004	Pin header	DUNCAN, JAMES
10933089	Not Issued	30	09/02/2004	Single width LC bi-directional transceiver	DUNCAN, JAMES
10993251	Not Issued	30	11/19/2004	Multiple PCBA transceiver	DUNCAN, JAMES
09823362	6689019	150	03/30/2001	EXERCISE MACHINE	DUNCAN, JAMES A.
10742702	Not Issued	93	12/19/2003	EXERCISE MACHINE	DUNCAN, JAMES A.
07860722	5312313	150	03/31/1992	DEVICE TO PREVENT BINDING OF A GUIDANCE SYSTEM FOR AN UPPER BODY EXERCISE APPARATUS	DUNCAN, JAMES A.
08033870	5354248	150	03/19/1993	EXERCISE APPARATUS	DUNCAN, JAMES A.
08137078	5499959	150	07/12/1994	UPPER BODY EXERCISE APPARATUS	DUNCAN, JAMES A.
08215121	5565002	250	03/18/1994	EXERCISE APPARATUS	DUNCAN, JAMES A.
08984573	S910072	150	12/03/1997	EXERCISE APPARATUS	DUNCAN, JAMES A.
09255404	Not Issued	161	02/22/1999	EXERCISE APPARATUS	DUNCAN, JAMES A.
29013798	D355684	150	10/01/1993	EXERCISE MACHINE	DUNCAN, JAMES A.
29020209	D357953	150	03/21/1994	EXERCISE CYCLE	DUNCAN, JAMES A.
29041761	D381717	150	07/24/1995	HANDLE FOR AN EXERCISE APPARATUS	DUNCAN, JAMES A.
29041783	D373805	150	07/24/1995	EXERCISE APPARATUS	DUNCAN, JAMES A.
10099396	6698774	150	03/16/2002	A LINE MARKING APPARATUS	DUNCAN, JAMES ALVIN
60277559	Not Issued	159	03/22/2001	Duncan parallel guide	DUNCAN, JAMES ALVIN
60624365	Not Issued	159	11/01/2004	Parallel spacing guide comprising an electronic distance measuring device, laser sighting means, and optional moveable pointer	DUNCAN, JAMES ALVIN
60674459	Not Issued	20	04/26/2005	Manhole cover protector	DUNCAN, JAMES ALVIN
08253794	5451322	150	06/03/1994	METHOD AND APPARATUS FOR TRITIATED WATER SEPARATION	DUNCAN, JAMES B.
08625536	5720057	250	03/28/1996	DISASTER RELIEF BED	DUNCAN, JAMES B.
29038050	Not Issued	161	04/27/1995	EZ BED	DUNCAN, JAMES B.
29067040	D393609	150	02/26/1997	VEHICLE	DUNCAN, JAMES C.
08148172	5368261	150	11/01/1993	CABLE MOUNT AND FIXTURE	DUNCAN, JAMES D.
07162965	4880961	150	03/02/1988	APPARATUS FOR HEATING YARN	DUNCAN, JAMES E.
07561035	Not Issued	168	08/01/1990	OSCILLATING DRAW ASSIST ELEMENT AND YARN DRAWING PROCESS EMPLOYING SAME	DUNCAN, JAMES E.
07635917	5183620	150	12/28/1990	PROCESS OF DRAWING YARN USING AN OSCILLATING DRAW ASSIST ELEMENT	DUNCAN, JAMES E.
09224925	6019712	150	12/30/1998	DYNAMIC VARIABLE RESISTANCE BALANCE BOARD	DUNCAN, JAMES EUGENE
10387001	6920749	150	03/11/2003	MULTI FUNCTION SIMPLEX/PREFILMER NOZZLE	DUNCAN, JAMES F.
60365079	Not Issued	159	03/15/2002	Dual function simplex/prefilmer nozzle	DUNCAN, JAMES F.
60434170	Not Issued	159	12/17/2002	Dual function simplex/prefilmer nozzle	DUNCAN, JAMES F.
06866057	4732741	150	05/21/1986	METHOD OF MAKING BETA"-ALUMINA	DUNCAN, JAMES H.
07252500	4913754	150	09/30/1988	MANUFACTURE OF BETA-ALUMINA ARTIFACTS	DUNCAN, JAMES H.
07504792	5051324	150	04/04/1990	ELECTROCHEMICAL CELL	DUNCAN, JAMES H.
07618312	5057384	250	11/26/1990	ELECTRODE HOLDER	DUNCAN, JAMES H.
07665989	5208119	150	03/07/1991	ELECTROCHEMICAL CELL	DUNCAN, JAMES H.
02699810	5230968	150	05/13/1991	ELECTROCHEMICAL CELLS	DUNCAN, JAMES H.
07700390	5187029	150	05/08/1991	ELECTROCHEMICAL CELL	DUNCAN, JAMES H.
07183197	Not Issued	161	04/19/1988	CONFIGURATION PROGRAMMING OF AN IMPLANTABLE PACEMAKER	DUNCAN, JAMES L.